Errata and Suggestion Sheets

Advanced Calculus, Second Edition, by Patrick Fitzpatrick

June 4, 2010

| Location | Error | Finder | Date |
|-------------------|--|------------|-------------|
| p. 13, ln1 | for " number a and b ," write " numbers a and b ," | ME | 1 Feb 2010 |
| p. 16, 1c | " $\mathbb{Q}\mathbb{N}$ " should read " $\mathbb{Q}\mathbb{Z}$." | JD | 6 Oct 2005 |
| p. 18, ln. 14 | " $1-T$ " should read " $1-r$." | RM | 7 Oct 2005 |
| pp. 30, 32 | To slightly improve clairity, the Linearity Property should come before Theorem 2.13. | RM | 10 Oct 2005 |
| p. 40, ln. 2 | " $s_4 + \frac{1}{2} = 1 + \frac{3}{2}$ " should read " $s_4 + \frac{1}{2} \ge 1 + \frac{3}{2}$." | JD | 17 Oct 2005 |
| p. 54, ln9 | "sequence $(\{-1/n\}]$ " should read "sequence $\{-1/n\}$ " | LF | 9 Feb 2008 |
| p. 62, ln. 7 | "the value 0." should read "zero or negative values." | JF | 2 Nov 2005 |
| p. 67, ln. 21 | " $1/n$ " should read " $-1/n$." | SH | 9 Nov 2005 |
| p. 67, ln. 22 | " $2 + 1/n^2$ " should read " $-2 - 1/n^2$." | JD | 9 Nov 2005 |
| p. 78, ln. 22 | "monotonically increasing" should read "monotone." | JF | 9 Nov 2005 |
| p. 81, ln. 23 | "D" should appear "D." | JD | 14 Nov 2005 |
| p. 90, ln. 14 | $\lim_{x \to 0, x > 0} \frac{f(x) - f(0)}{x - 0} = -1$ " should read | CB, BH, | 18 Nov 2005 |
| | $\lim_{x \to 0, \ x < 0} \frac{f(x) - f(0)}{x - 0} = -1.$ | GV | |
| p. 90, ln1 | " + x_0^{n-2} + x_0^{n-1} " should read | JD | 18 Nov 2005 |
| & p. 91, ln. 1 | " + $xx_0^{n-2} + x_0^{n-1}$." | | |
| p. 94, # 3 | The function value $f(0)$ is defined twice. | JD | 14 Nov 2005 |
| p. 99, (4.8) | " $x - x$ " should read " $x - x_0$ " in two denominators. | RM | 7 Dec 2005 |
| p. 107, ln. 8 | " $x_0 < x_0 + \delta$ " should appear " $x_0 < x < x_0 + \delta$ " | RM | 29 Nov 2005 |
| p. 107, ln15 | for "In Section 9.5," write "In Section 9.6," | AD | 31 Jan 2010 |
| p. 112, ln. 3 | " $g^{(n)}(x_0) = n!$ " should appear " $g^{(n)}(x) = n!$ " | TT | 21 Jul 2009 |
| p. 112, ln. 14 | " $\frac{f^{(n)}(x_n)}{g^{(n)}(x_0)}$ " should appear " $\frac{f^{(n)}(x_n)}{g^{(n)}(x_n)}$ " | KW | 30 Nov 2005 |
| p. 120, ln. 15 | for " inverse function \mathbb{R} ." write " inverse function on \mathbb{R} ." | TT | Jan 2008 |
| p. 142, ln1 | for "1988), a clear" write "1988), is a clear" | NR | 25 Jan 2010 |
| p. 144, ln10 | the second "(6.19)" should be "(6.20)" | JF | 25 Jan 2006 |
| p. 145, ln. 3 | for " $[a,b]: \mathbb{R} \to \mathbb{R}$ " write " $f: [a,b] \to \mathbb{R}$ " | JF | 25 Jan 2006 |
| p. 149, # 4 b. | for " $(b-a)/2$ " write " $(b^2-a^2)/2$ " | JH | 28 Jan 2008 |
| p. 150, ln10 | for "The f is" write "Then f is" | JF | 21 Feb 2006 |
| p. 152, ln. 5 | for " $L(f, P_n)$ " write " $U(g, P_n)$ " | BH | 25 Jan 2006 |
| p. 152, ln. 12 | for " $\cdots \le L(f,P) + U(g,P)$." write " $\cdots \le U(f,P) + U(g,P)$." | JH | 3 Feb 2008 |
| p. 153, ln1 | for " $\cdots \le U(f+g,P_n) \le L(f,P_n) + U(g,P_n)$." | AS | 29 Mar 2009 |
| | write $\cdots \leq U(f+g,P_n) \leq U(f,P_n) + U(g,P_n)$." | | |
| p. 156, ln. 10-12 | for " $[x_{i-1} - x_i]$ " write " $[x_i - x_{i-1}]$ " | CS | 28 Jan 2010 |
| p. 160, ln2 | for "Section 7.4." write "Section 7.3." | IB | 7 Feb 2008 |
| p. 162, ln8 | for " $L(f, P)$ " write " $L(F', P)$ " | IB | 7 Feb 2008 |
| p. 162, ln8 | for " $R(f, P)$ " write " $U(F', P)$ " | IB | 7 Feb 2008 |
| p. 164, # 3 | for " $\int_a^b f = 4$ " write " $\int_2^6 f = 4$ " | IB | 6 Feb 2008 |
| p. 184, Lemma | See instructor for corrected lemma statement and proof. | TT | 14 Aug 2009 |
| p. 186, Thm | Proof of theorem still true with corrected lemma statement. | TT | 14 Aug 2009 |
| p. 187, ln11 | for "index $i \ge 1$ " write "index i such that $1 \le i \le n$ " | JH | 19 Mar 2008 |
| p. 189, # 8 | for "Supose" write "Suppose" | JF | 20 Feb 2006 |

Errata Sheets, cont.

| Location | Error | Finder | Date |
|------------------|---|---------------|-------------|
| p. 201, ln. 4 | for " $x = 0$ " write " $x_0 = 0$ " | LF | 4 Mar 2008 |
| p. 201, ln. 8 | for " $x = 0$ " write " $x_0 = 0$ " | LF | 4 Mar 2008 |
| p. 201, ln. 12 | for " $x = 0$ " write " $x_0 = 0$ " | LF | 4 Mar 2008 |
| p. 201, ln7 | for " $x = 1$ " write " $x_0 = 1$ " | LF | 4 Mar 2008 |
| p. 202, ln10 | for "strictly increasing" write "strictly decreasing" | RM | 22 Feb 2006 |
| p. 202, ln1 | for "at $x = 0$ " write "at $x_0 = 0$ " | TT | 11 Mar 2008 |
| p. 203, ln. 10 | for " $(x-x_0)^n$ " write " $(x-x_0)^{n+1}$ " | RM | 22 Feb 2006 |
| p. 206, ln1 | for " $\ln(n+1) = \ln 1$ " write $\ln(n+1) - \ln 1$ " | RM | 22 Feb 2006 |
| p. 217, ln. 6 | for "number n " write "number k " | IB | 7 Mar 2008 |
| p. 221, ln. 10 | for "about $x = 0$ " write "about $x_0 = 0$ " | TT | 11 Mar 2008 |
| p. 225, ln6 | for " $1 \le k \le n$." write " $0 \le k \le n$." | TT | 26 Feb 2006 |
| p. 233, ln. 2 | for "for index" write "for every index" | TT | 01 Mar 2006 |
| p. 235, ln9 | for " $(0,c)$ " write " $(0,b)$ " | JD | 01 Mar 2006 |
| | | | |
| p. 240, ln2 | for " $\lim_{n\to\infty} \left(\frac{a_k}{b_k}\right)$ " write " $\lim_{k\to\infty} \left(\frac{a_k}{b_k}\right)$ " | TT | 01 Mar 2006 |
| p. 241, ln. 12 | for " value is 1." write " value is 1," | AH | 26 Feb 2010 |
| p. 241, Fig. 9.2 | for " $\lim_{n\to\infty} 1^n = 0$." write " $\lim_{n\to\infty} 1^n = 1$." | NC, AD, NR | 15 Mar 2010 |
| p. 242, ln1 | for "natural number k " write "integer k " | NR | 26 Feb 2010 |
| p. 243, ln. 8 | for " number n, \ldots " write " number $n \geq 2, \ldots$ " | TT | 11 Mar 2008 |
| p. 243, ln. 9 | for " $f_n(0) = f(2/n) = \cdots$ " write " $f_n(0) = f_n(2/n) = \cdots$ " | RM | 06 Mar 2006 |
| p. 243, ln. 10 | for "and $[2/n, 0]$ " write "and $[2/n, 1]$ " | RM | 06 Mar 2006 |
| p. 243, Fig. 9.4 | for " $(\frac{1}{n}, 1)$ " write " $(\frac{1}{n}, n)$ " | RM | 06 Mar 2006 |
| p. 251, ln. 4 | for " $4[b-a]$ " write " $[4(b-a)]$ " (But $[3(b-a)]$ works!) | TT | 05 Mar 2010 |
| p. 251, ln8 | for " $6[b-a]$ " write " $[6(b-a)]$ " (But $[2(b-a)]$ works!) | TT | 05 Mar 2010 |
| p. 257, ln4 | for "Cauchy on A" write "Cauchy on A" | JD | 08 Mar 2006 |
| p. 265, Fig. 9.6 | left figure: for " $(l, 2l)$ " write " (l, l) " | AD | 15 Mar 2010 |
| p. 265, Fig. 9.6 | Two comments: (1) It would be nice to use the <i>same</i> script l as in the surrounding text. (2) It would be nice if the graphs had the same scales for both x - and y -axes. | TT | 21 Mar 2010 |
| p. 266, ln. 16 | for " $\sum_{k=1}^{\infty} h_k(x)$ " write " $\sum_{k=0}^{\infty} h_k(x)$ " | TT | 10 Mar 2006 |
| p. 279, ln. 6 | for "dist(\mathbf{u}, \mathbf{u}') and" write "dist(\mathbf{u}, \mathbf{u}') = 0 and" | RM | 29 Mar 2006 |
| p. 302, ln. 7 | for " $A: \mathbb{R} \to \mathbb{R}$ " write " $f: A \to \mathbb{R}$ " | JF | 15 Apr 2006 |
| p. 324, ln. 8 | for " $f: \mathbb{R} \to \mathbb{R}$ " write " $f: I \to \mathbb{R}$ " | TT | 23 Apr 2010 |
| p. 355, ln. 4 | Is " e_i " defined in the text (other than p. 281, H.W.#2)? | JH | 21 Nov 2008 |
| p. 373, ln. 11 | for " $\left(\frac{1}{k!}\right)$ " write " $\left(\frac{1}{k!}\right)$ " | JF | 22 May 2006 |
| p. 375, ln8 | for "h" write "h" | JH | 21 Nov 2008 |
| p. 391, ln. 8 | for " $\nabla f(\mathbf{x}) = 0$ " write " $\nabla f(\mathbf{x}) = 0$ " | SW | May 2010 |
| p. 474, ln10 | the word "integrable" comes before it is defined (p. 475) | TT | 16 May 2006 |
| p. 479, | for "in any one of the $P_k(J)$'s" write, perhaps, | JH | 21 Nov 2008 |
| ln. 14-15 | "in all of the corresponding $\mathbf{P}_k(\mathbf{J})$'s" | | |
| p. 479, ln. 16 | for " $\sum_{\mathbf{J} \text{ in } \mathbf{P}} U() - L()$ " write $\sum_{\mathbf{J} \text{ in } \mathbf{P}} [U() - L()]$ " | JH | 21 Nov 2008 |

 ${\bf Errata\ Sheets,\ cont.}$

| Location | Error | Finder | Date |
|-----------------|---|--------|-------------|
| p. 479, ln. 19 | for " $-L(f, \mathbf{P}_k]$ =" write $-L(f, \mathbf{P}_k)$] =" | JH | 21 Nov 2008 |
| p. 488, ln. 5 | for "vol \mathbf{J} " write "vol \mathbf{J}_i " (twice) | JH | 21 Nov 2008 |
| p. 488, ln11 | for "For positive numbers a and b , show that the ellipse" | TT | 26 May 2006 |
| | write "Show that the set" | | |
| p. 488, ln7 | for "that the ellipsoid" write "that the set" | TT | 26 May 2006 |
| p. 489, ln. 6,7 | for "in the interior of J " write "in the interior of I " | TT | 27 May 2010 |
| p. 491, ln. 2 | for "= $\int_{\mathbf{J}} \hat{f}$," write "= $\int_{\mathbf{I}_1} \hat{f}$," | ТТ | 26 May 2006 |
| p. 493, ln15 | for " $\{(\mathbf{x}, g(\mathbf{x}))\dots$ " write " $\{(\mathbf{x}, f(\mathbf{x}))\dots$ " | TT | 26 May 2006 |
| p. 499, ln. 10 | for "(19.3)" write "(19.1)" | TT | 4 Jun 2010 |
| p. 500, ln. 2 | for "of m_i and M_i " write "of M_i " | TT | 4 Jun 2010 |