

Index

- AABB, *see* bounding box, axis aligned
- Abram, G., 329
- accumulation buffer, 308
- additive colors, 184
- AddPatch, 422, 423
- AddRationalPatch, 422, 423
- adjoint, 102, 399
- affine, 245
- affine combination, 125, 126, 128
 - preserved under, 126
- affine transformation, 5, 21, 25, 43, 45, 57, 101
 - matrix, 33, 44
 - orientation-preserving, 29, 44
 - preserved under, 126, 208
- aliasing, 3, 79, 156, 163
- alpha channel, 105
- ambient light, 87, 93, 94, 105, 106, 409
- ambient reflection, 93
- ambient reflectivity coefficient, 87, 93, 106, 412
- angle brackets, 26
- angle of incidence, 86, 88–91, 291
- angle of reflection, 86, 90
- angle of refraction, 291
- animation, 18, 21, 29, 79, 96, 123, 353
- anisotropic surface, 109
- anti-aliasing, 9, 163–166, 284, 298, 308
- antipodal, 151
- arclength, 260, 269
- arctangent, 30, 154
- articulated object, 356, 375
- Arvo, D., 306
- Ashdown, I., 352
- aspect ratio, 70, 71, 202
- associative law, 367
- atan2, 30
- attachment point, 376
- attenuation, *see* distance attenuation
- automorphism, inner, 369
- averaging, *see* interpolation
- axis aligned bounding box, *see* bounding box, axis aligned
- axis conventions, 5
- azimuth, 161, *see also* pitch
- B-spline curve
 - smoothness, 239, 248–251
- back buffer, 18
- back face, 15, 104
- back intersection, 322
- background color, 295
- backwards ray tracing, 284, 305–307
- Badler, N., 379
- Barsky, B., 194
- Bartels, R., 194, 271
- barycentric coordinates, 127–133, 319, 320
 - calculating, 130
- basic ray tracing, *see* recursive ray tracing
- basis function, *see* blending function
- Beatty, J., 194
- Beckmann distribution, 113
- Berg, M. de, 330
- Berns, R., 191
- Berns, R., 181

- Bernstein polynomial, 196, 206, 234, 264
- Bessel spline, *see* Overhauser spline
- Bessel tangent, 271
- Bessel twist method, 280
- Bézier curve, 126, 194, 374
 - as B-spline, 233, 256
 - degree three, 194
 - derivative, 196, 207
 - general degree, 205–214
 - in OpenGL, 220–222
 - piecewise, 203–204, 209
 - quadratic, 253–260
 - rational, 33, 57, 127, 149, 221, 251–260
 - subdivision, *see* recursive subdivision
- Bézier patch, 214–220, 314, 326
 - in OpenGL, 222–223
 - rational, 422
 - viewable, 421
- Bézier, P., 194
- Bhetanabhotla, M., 327
- bias, 273
- bidirectional path tracing, 307
- bidirectional reflectivity, 109–111
- Bier, E., 159
- bilinear interpolation, 133–144, 157, 158, 164, 170, 416, 426
 - inverting, 139–144
- BilinearInvert**, 142, 144
- Billmeyer, F., 181
- binary search partition (BSP) tree, 329
- binary space partitioning (BSP) tree, 314
- binomial theorem, 196, 206, 212
- black, 12, 184
- blending, 105, 186, 308
- blending function, 195, 224, 226, 227, 374
- Blinn, J., xiv, 108, 112, 116, 167, 219, 223
- blossom, 244–248
- Böhm method, 261–263
- Böhm, W., 261
- Bouma, P., 191
- bounding box, 327
 - axis aligned (AABB), 327, 328
 - discrete oriented polygon (k -DOP), 327–329
 - oriented (OBB), 327, 328, 330
- bounding sphere, 316, 327, 328
- bounding volume, 327, 329
- box, 321
- Bresenham algorithm, 74, 75, 77–79, 151, 158
- BRIDF, *see* bidirectional reflectivity
- brightness, 188
- browser-safe colors, 187
- browsers, 187
- Brunelleschi, F., 42
- BSP three, *see* binary space partitioning tree
- B-spline curve, 126, 224–266, 374
 - as Bézier curve, 263–265
 - derivative, 248
 - in OpenGL, 266
 - interpolating, 274–276
 - knot insertion, 245, 260
 - non-uniform knots, 228
 - rational, 33, 57, 127, 251–260
 - repeated knots, 239
 - uniform knots, 224–228, 231
- buffer, 18
- bump mapping, 167–170
- BumpMapFunction**, 424
- Buss, S., 374
- C^1 -continuity, 203, 209, 216, 217, 236, 268, 272
- C^2 -continuity, 227, 236
- CalcAllDirectIllum**, 405, 406
- CalcPixelDirection**, 411
- CalcRefractDir**, 405
- CalcTransmissionDirection**, 293
- calculus, 399
- CalcViewPosition**, 411
- camera, 298, 356, 360
- camera position, *see* viewpoint
- CameraView**, 406, 410

- Canny, J., 330
- Carpenter, L., 297
- Casteljau method, 197–198, 209–210, 217, 241, 265, 327, 374
- Casteljau, P. de, 194, 209, 248
- Catmull-Rom spline, 266–268, 272, 276, 277, 355
- caustics, 306
- cell, 328
- centripetal parameterization, 269
- choice function, 195
- chord-length parameterization, 267, 269, 270, 277
- Christiansen, N., 306
- chroma, 188
- chromaticity, 188
- CIE, 191
- CIELAB, 191
- circle, 149, 223, 253–258
- CIRLUV, 191
- C^k -continuity, 203
- clipping plane, 60
- clockwise, 16
- clone, 310
- CLUT, *see* color lookup table
- CMY, 185
 - to/from RGB, 186
- CMYK, 186
- cofactor, 102, 398
- Cohen, M., 342, 352
- collinear, 392
- color, 2, 12, 72, 73, 75, 78, 181–191, 304
 - additive and subtractive, 184
- color lookup table, 187
- color perception, 181–183
- colorfulness, 188
- column span (colspan), 383
- column vector, 26, 28, 43
- commutative law, 367
- complex numbers, 366
- composition, 25
- ComputeG, 118
- computer-aided design, 193
- cone, 418
 - cones (retinal), 182
- conic section, 127, 149, 251, 253–260, 264
- conjugate, 367
- constant attenuation factor, 107
- continuity, *see* C^1 -, C^2 - and C^k -continuity
- continuity (TCB), 272
- control point, 126, 194, 224, 228, 251, 266
- control polygon, 207, 208, 212, 260
- convex, 321
- convex hull, 145, 201, 202
- convex hull property, 201, 202, 206, 208, 257, 260
- convex polytope, *see* polytope
- convex quadrilateral, 136
- convex set, 10, 11, 145–147
- Cook, R., 108, 112, 116, 120, 297
- Cook-Torrance lighting, 85, 108–120, 167, 283, 285, 403
- coordinate system, 5
- counter-clockwise, 16
- Cox-de Boor formula, 230–234, 240
- Coxeter, H., 42
- cracking, 219, 220
- cross product, 7, 52, 367, 390, 392, 395
- cube, 159, 321
- cubic curve, 209
- culling back faces, 15, 104, 415
- cutoff angle, 107
- cyan, 12, 185, 188
- cylinder, 159, 325, 417
- data glove, 355
- data types, 7
- de Boor algorithm, 241–244, 247, 265
- de Casteljau, *see* Casteljau
- degree elevation, 212–214, 256, 265
- degree of freedom, 375
- depth, 14, 61, 64, 65, 72
- depth buffer, 14, 62, 65–67, 74, 77, 78, 283, 310, *see also* pseudo-distance

- depth of field, 284, 298, 301, 308, 310
- derivative, 401
- determinant, 27, 44, 398
- diagonal property, 245
- diameter, 341
- diffuse light, 86, 88, 106
- diffuse reflection, 85, 86, 88–90
- diffuse reflectivity coefficient, 88, 106, 294, 412
- diffuse transmission, 294
- diffuse transmission coefficient, 294
- diode, 355
- DirectIlluminateViewPos**, 406
- directional light, 92, 104, 105, 408, 409
- discrete oriented polygon, *see* bounding box
- display list, 4
- distance, *see* depth *and* pseudo-distance
- distance attenuation, 94, 103, 106–108, 409
- distributed ray tracing, 284, 297–305
- distributive law, 367
- dot product, 102, 374, 390, 395
 - preserved, 29, 44
- double buffering, 18–19
- Draw**, 412
- drawThreePoints**, 35–39
- dynamics, 357
- ease in, 358
 - fixed target, 358–359
 - moving target, 359–360
- ease out, fixed target, 359
- ellipse, 149
- ellipsoid, 416
- emissive intensity, 93, 106, 412
- emissivity, 87, 93
- empty set, 245
- end effector, 375
- end effector point, 375
- end link, 375
- environment map, 170–172, 310
 - in OpenGL, 178–180
- equivalent, 183
- Euclidean space, 389
- Euler angles, 362
- Euler’s theorem, 45, 54–56, 364
- extended light, 301
- extinction coefficient, 120
- extrapolation, 124, 125
- eye, 182
- face culling, 15
- Fairchild, M., 191
- Fairman, H., 191
- fake distance, *see* pseudo-distance
- far clipping plane, 60, 63, 65, 68, 69
- Farin, G., 194, 248, 262, 265
- Farouki, R., 260
- Ferguson patches, 280
- Ferguson, J., 280
- Ferris wheel, 21
- Feuerbach, K., 42
- Feynman, R., 181
- field of view, *see* viewport
- Fillmore, J., 374
- FindIntersection**, 405
- fixed point, 348
- fixed point problem, 348
- fixed target, *see* ease-in, fixed target
- flat shading, 14, 84
- flats, 280
- flexible objects, 356
- flocking, 356
- focal plane, 299
- focusing, 306
- fog, 307
- Foley, J., xiv, 181, 188
- form factor, 334, 336, 339–344
- forward dynamics, 357
- forward kinematics, 357
- forward ray tracing, 306
- FourTextures**, 172, 177
- frame, 18
- frame rate, 18
- Freeman, K., 181
- Fresnel equation, 108, 112, 119–120
- front buffer, 18

- front face, 10, 15, 104
- front intersection, 322
- frustum, 69
- Fuchs, H., 329
- full rank factorization, 385

- G^1 -continuity, 203, 209, 216, 217
- gathering method, 350
- Gauss-Seidel, 350
- Gauss-Seidel iteration, 350–351
- Gaussian elimination, 386
- generalized rotation, 29, 31, 54, 56
- geodesic, 151
- geometric occlusion, 114–119
- GetPixel, 412
- Geuzaine, C., xv
- GIF, 187
- Gilbert, E., 330
- gimbal lock, 364, 383, 386
- Girard, M., 379, 387
- GL_ACCUM, 309
- GL_ACCUM_BUFFER_BIT, 309
- GL_ADD, 309
- GL_AMBIENT, 106
- GL_AMBIENT_AND_DIFFUSE, 106
- GL_AUTO_NORMAL, 223
- GL_BACK, 16, 106, 107
- GL_BLEND, 8, 9, 176, 308
- GL_CCW, 16
- GL_CLAMP, 174
- GL_CLAMP_TO_EDGE, 174
- GL_COLOR_BUFFER_BIT, 14, 15, 309
- GL_CONSTANT_ATTENUATION, 107
- GL_CULL_FACE, 16
- GL_CW, 16
- GL_DECAL, 176
- GL_DEPTH_BUFFER_BIT, 15, 309
- GL_DEPTH_TEST, 15
- GL_DIFFUSE, 106
- GL_EMISSION, 106
- GL_FILL, 16, 223
- GL_FLAT, 14, 103
- GL_FRONT, 16, 106, 107
- GL_FRONT_AND_BACK, 16, 106, 107
- GL_LIGHT i , 103, 105–108
- GL_LIGHT_MODEL_AMBIENT, 105
- GL_LIGHT_MODEL_COLOR_CONTROL, 177
- GL_LIGHT_MODEL_LOCAL_VIEWER, 104
- GL_LIGHT_MODEL_TWO_SIDE, 104
- GL_LIGHTING, 103, 176
- GL_LINE, 16, 222, 223
- GL_LINE_LOOP, 9
- GL_LINE_SMOOTH, 9, 308
- GL_LINE_SMOOTH_HINT, 9, 308
- GL_LINE_STRIP, 9, 222
- GL_LINEAR, 174
- GL_LINEAR_ATTENUATION, 107
- GL_LINEAR_MIPMAP_LINEAR, 175
- GL_LINEAR_MIPMAP_NEAREST, 175
- GL_LINES, 9
- GL_LOAD, 309
- GL_MAP1_COLOR_4, 221
- GL_MAP1_TEXTURE_COORD_1, 221
- GL_MAP1_VERTEX_3, 221
- GL_MAP1_VERTEX_4, 221
- GL_MAP2_COLOR_4, 223
- GL_MAP2_TEXTURE_COORD_2, 223
- GL_MAP2_VERTEX_3, 222
- GL_MAP2_VERTEX_4, 223
- GL_MODELVIEW, 36, 37, 45, 48
- GL_MODULATE, 176
- GL_MULT, 309
- GL_NEAREST, 174
- GL_NEAREST_MIPMAP_LINEAR, 175
- GL_NEAREST_MIPMAP_NEAREST, 175
- GL_NICEST, 8, 9, 158, 308
- GL_NORMALIZE, 108, 224
- GL_ONE_MINUS_SRC_ALPHA, 8, 9, 308
- GL_PERSPECTIVE_CORRECTION_HINT, 158
- GL_POINT, 16, 222, 223
- GL_POINT_SMOOTH, 8, 308
- GL_POINT_SMOOTH_HINT, 8, 308
- GL_POINTS, 8, 35, 222
- GL_POLYGON, 11
- GL_POLYGON_OFFSET_FILL, 67
- GL_POLYGON_OFFSET_LINE, 67
- GL_POLYGON_OFFSET_POINT, 67
- GL_POLYGON_SMOOTH, 308
- GL_POLYGON_SMOOTH_HINT, 308
- GL_POSITION, 105
- GL_PROJECTION, 71

- GL_PROXY_TEXTURE_2D, 173
- GL_QUAD_STRIP, 11
- GL_QUADRATIC_ATTENUATION, 107
- GL_QUADS, 11
- GL_REPEAT, 174
- GL_REPLACE, 176
- GL_RESCALE_NORMAL, 108
- GL_RETURN, 309
- GL_RGB, 173
- GL_RGBA, 173
- GL_S, 178
- GL_SEPARATE_SPECULAR_COLOR, 177
- GL_SHININESS, 107
- GL_SINGLE_COLOR, 177
- GL_SMOOTH, 14, 103
- GL_SPECULAR, 106
- GL_SPHERE_MAP, 178
- GL_SPOT_CUTOFF, 108
- GL_SPOT_DIRECTION, 107
- GL_SPOT_EXPONENT, 108
- GL_SRC_ALPHA, 8, 9, 308
- GL_T, 178
- GL_TEXTURE, 179
- GL_TEXTURE_1D, 178
- GL_TEXTURE_2D, 173–175, 178
- GL_TEXTURE_3D, 178
- GL_TEXTURE_ENV, 176
- GL_TEXTURE_ENV_MODE, 176
- GL_TEXTURE_GEN_MODE, 178
- GL_TEXTURE_GEN_S, 178
- GL_TEXTURE_GEN_T, 178
- GL_TEXTURE_MAG_FILTER, 174
- GL_TEXTURE_MIN_FILTER, 174, 175
- GL_TEXTURE_WRAP_S, 174
- GL_TEXTURE_WRAP_T, 174
- GL_TRIANGLE_FAN, 10
- GL_TRIANGLE_STRIP, 10
- GL_TRIANGLES, 10
- GL_UNPACK_ALIGNMENT, 173
- glAccum, 309
- glAccumClear, 309
- Glassner, A, xiv
- Glassner, A., 181, 191, 307
- glBegin, 7–11, 13, 35, 104, 221, 222
- glBindTexture, 177, 178
- glBlend, 310
- glBlendFunc, 8, 9, 308
- glClear, 14, 15, 309
- glClearColor, 14
- glColor*, 12, 13, 48, 103, 105
- glColor3f, 12, 48
- glColorMaterial, 105
- glCullFace, 16, 104
- glDeleteTextures, 177, 178
- glDisable, *see* GL_ options that can be disabled
- GLdouble, 7
- glEnable, *see* GL_ options that can be enabled
- glEnable, 16, 222
- glEnd, 7–11, 13, 35, 104, 221, 222
- glEvalCoord1f, 221, 222
- glEvalCoord2f, 223
- glEvalMesh1, 222
- glEvalMesh2, 223
- glEvalPoint1, 222
- glEvalPoint2, 223
- GLfloat, 7
- glFlush, 18
- glFrontFace, 16
- glFrustum, 68–70, 104
- glGenTextures, 177
- glHint, 8, 9, 158
- glide rotation, 56
- GLint, 7
- glLightf, 107, 108
- glLightfv, 105–107
- glLightModelfv, 105
- glLightModeli, 104, 177
- glLineWidth, 9
- glLoadIdentity, 36, 37, 45, 48
- glLoadMatrix, 29, 47
- glMap1f, 220–222
- glMap2f, 222, 223
- glMapGrid1f, 222
- glMapGrid2f, 223
- glMaterial*, 104–106
- glMaterialf, 107
- glMaterialfv, 106
- glMatrixMode, 36, 37, 45, 48, 179
- glMultMatrix, 29
- glMultMatrixf, 47

- glNormal*, 221
- glNormal3f, 104, 108, 175, 178
- global lighting, 85
- global reflectivity coefficient, 287, 405, 412
- glOrtho, 68, 104
- glOrtho2D, 68
- glPixelStorei, 173
- glPointSize, 8
- glPolygonMode, 16
- glPolygonOffset, 67
- glPopMatrix, 37, 47, 48
- glPushMatrix, 37, 47, 48
- glRotate, 36, 37, 39
- glRotatef, 46, 48, 49
- glScalef, 46
- glShadeModel, 14, 103
- GLshort, 7
- glTexCoord*, 221
- glTexCoords2f, 175
- glTexEnvf, 176
- glTexGeni, 178
- glTexImage2D, 173, 174
- glTexParameterI, 174, 175
- glTranslatef, 36, 37, 39, 46, 48, 49
- glu OpenGL utility routines, 266
- gluBeginSurface, 266
- gluBuild2DMipmapLevels, 173
- gluBuild2DMipmaps, 173, 174
- gluDeleteNurbsRenderer, 266
- gluEndSurface, 266
- GLuint, 177
- gluLookAt, 68, 72, 104, 361
- gluNewNurbsRenderer, 266
- gluNurbsProperty, 266
- gluNurbsSurface, 266
- gluPerspective, 68, 70, 71, 104
- GLUT_ACCUM, 309
- GLUT_DEPTH, 15, 18
- GLUT_DOUBLE, 18
- GLUT_RGB, 15, 18
- glutDisplayFunc, 18
- glutIdleFunc, 18
- glutInitDisplayMode, 15, 18, 309
- glutPostRedisplay, 18
- glutReshapeFunc, 71
- glutSwapBuffers, 18
- glutWireSphere, 48, 49
- glVertex*, 7, 10, 45, 104, 105, 175, 221
- glVertex2f, 7, 8, 35, 45
- glVertex2fv, 7
- glVertex3f, 7, 9–11, 57, 175
- glVertex3fv, 7
- glVertex4f, 57
- glViewport, 71
- goniometer, 110
- Gottschalk, S., 330
- Gouraud shading, 75, 77, 83, 84, 92, 95, 103, 129, 190, 338
- gradient, 100, 326, 400
- Grant, E., 329
- great circle, 41, 151
- Greenberg, D., 342

- Haines, E., xiv, 313, 330
- halfspace, 146
- halfway vector, 91, 93, 104, 113
- Hall, R., 181
- Hamilton, W.R., 365
- heading, 161, *see also* yaw
- helix, 260
- Helmholtz, H., 181
- hemicube method, 342–344
- Hering, E., 182
- Hermite polynomial, 204–205, 358, 359
- Hernicz, R., 120
- hidden surface, 14–16, 22, 58, 63, 65, 283, 285
- high color, 186
- homogeneous coordinates, 32, 43, 251
 - affine combinations, 127, 148–150
- homogeneous matrix, 33, 44, 102
- Horner's method, 198
- HSL, 187–190
 - from RGB, 189
- hue, 188
- hyperbola, 149

- hyperbolic interpolation, 97, 150–151, 158
- identity matrix, 45, 396
- identity transformation, 25
- IK, *see* inverse kinematics
- illumination maps, 306
- implicitly defined surface, 100, 400
- importance sampling, 307
- inbetweenner, 354
- index of refraction, 119, 288, 291, 413
- indexed color, *see* color lookup table
- inherent velocity, 359
- `Init`, 415
- inker, 354
- inner automorphism, 369
- inner product, *see* dot product
- intensity, 188
- interference pattern, 298
- interpolating points, 125, 194, 266–282, 354, *see also* Catmull-Rom spline, Bessel patch, Ferguson patch, Overhauser spline *and* tension-continuity-bias
 - with surface, 277
- interpolating spline, 355, 358
- interpolation (averaging), 94, 123–154, 354, *see also* bilinear interpolation, Gouraud shading, hyperbolic interpolation, linear interpolation, Phong shading, quaternion, scan line interpolation *and* spherical linear interpolation
- intersection testing, 201, 297, 313–331
 - line-plane, 318
 - ray-Bézier curve, 201
 - ray-Bézier patch, 326–327
 - ray-cylinder, 325
 - ray-ellipsoid, 317
 - ray-plane, 317–318
 - ray-polytope, 318, 321–325
 - ray-quadric, 325–326
 - ray-sphere, 314–317
 - ray-triangle, 319–321
- intrinsically curved, 161, 162
- inverse, 25, *see also* matrix inverse
- inverse dynamics, 357
- inverse kinematics, 354, 357, 379–388
- Jackson, R., 181, 191
- Jacobi iteration, 345, 349–350
- Jacobian, 380–382, 402
- `JacobiIteration.`, 349
- jaggies, 2, 9, 79, 298, 300, 308
- Jensen, H., 306
- jittering, 166, 298, 299, 303, 341
- Johnson, D., 330
- Johnston, O., 354
- joint, 375
- Joy, K., 327
- Kakimoto, M., 327
- k*-DOP, *see* bounding box
- Keerthi, S., 330
- kernel, 383
- keyframe, 354
- keyframing, 354, 358
- kinematics, 357, 375–388
- Klein, F., 42
- knot, 193, 228, 229
- knot elimination, 266
- knot insertion, 265
- knot multiplicity, 239
- knot refinement, 261, 265
- knot vector, 229, 262
 - standard, 236
- Kochanek, D., 271
- Krevald, M., 330
- Lambertian surface, 88, 90
- least squares minimization, 384, 388
- Lee, E., 254
- Lempel, A., 187
- lerp, *see* linear interpolation
- lerp*, 125
- level of detail, 164

- level set, 100, 400
- level surface, *see* implicitly defined surface
- Light**, 408
- Lin, M., 330
- line, 8
- line at infinity, 40, 41, 43, 56, 57
- line loop, 9
- line strip, 9
- line-plane intersection, 318
- linear attenuation factor, 107
- linear combination, 125
- linear interpolation, 74, 75, 77, 157, 198, 373, 374
 - inversion, 124
 - three points, 127–133
 - two points, 124–125
- linear subspace, 56
- linear transformation, 21, 24, 29, 43
 - matrix, 26, 43
- link, 356, 375
- local control, 225–227, 239, 276
- local lighting, 85, 109, 289
- local viewer, 92, 104, 179, 411
- LOD, *see* level of detail
- luminance, 188
- LUT, *see* color lookup table
- LZW compression, 187

- MacDonald, D., 181
- Mach banding, 338
- Maciejewski, A., 379, 387
- magenta, 12, 185, 188
- magnitude, 367, 390, 394, 395
- major radius, 100, 162, 421
- Manocha, D., 330
- masking, 114
- Material**, 412, 413
 - material properties, 87, 93
 - in OpenGL, 103–108
 - material property, 407
- matrix, 396
- matrix inverse, 27, 345, 396, 398
- matrix product, 396
- matrix representation
 - cross product, 52
 - orthographic projection, 60
 - quaternion, 370–373
 - reflection, 54
 - rotation, 30, 46, 50
 - scaling, 46
 - shadow projection, 66
- matrix representation of a transformation, 26, 28, 33, 43, 44
- matrix rotation
 - translation, 46
- matrix transpose, 26, 28, 396
- matrix, orthonormal, 30
- Mercator map, 161
- metal, 109
- metamerism, 183, 184
- microfacet, 108, 111–113
- millions of colors, 73, 186
- minor radius, 100, 162, 421
- mipmapping, 156, 163–165, 170, 298
- mirror, 90, 170, 285, 310
- mirror image, 46
- Möbius, A., 42
- model view matrix, 35, 45, 72
- model view matrix., 22
- Möller, T., xiv, 313, 330
- Monte-Carlo, 307
- moon, 49, 90
- Moore-Penrose inverse, *see* pseudo-inverse
- mosaic, 2
- motion blur, 284, 300, 302, 308
- motion capture, 355
- move-to, 3
- movie, 283
- moving target, *see* ease-in, moving target
- multiaffine, 245
- multibody, *see* articulated object
- multiplication, quaternion, 366
- multiplicative identity, 368
- multiplicative inverse, 368
- multiplicity, 239
- multitexturing, 180
- multivariable, 399
- multum in parvo, 164

- Nayar, S., 119
- near clipping plane, 60, 63, 65, 68, 69
- Newman, W., 42
- Newton's method, 145, 327
- Nishita, T., 327
- noise, 166
- non-local viewer, 92, 178, 179
- non-uniform B-spline, *see* B-spline
- norm, 367, 390, 394
- normal vector, 97, 101, 103, 104, 108, 139, 326, 400
 - interpolation, 97, *see also* Phong shading
- normalization, 108
- NURBS, 266, *see* B-spline curve, rational
 - in OpenGL, 266
- OBB, *see* bounding box, oriented
- octtree, 314, 329
- opponent color theory, 181, 182
- order, 223, 229, 237, 422
- order, 221
- Oren, M., 119
- orientation, 360–374
- orientation-preserving, 29, 44, 45, 54, 361, 364
- oriented bounding box, *see* bounding box, oriented
- origin, 23, 43
- orthogonal, 391
- orthogonal complement, 383
- orthographic projection, 58–60, 67, 411
- orthonormal, 30
- oscilloscope, 3
- Oslo method, 262
- Overhauser spline, 266, 269, 276, 277, 355, *see also* Bessel twist method
- Overmars, M., 330
- overshoot, 272, 273
- painter's algorithm, 14
- Palmer, G., 181
- palmtop, 2
- parabola, 149
- parallel, 392
- parallelepiped, 327, 420
- parallelogram, 415
- parametric curve, 194–196, 260, 401
- parametric surface, 98, 159, 162, 167, 214
- partial derivative, 399
- participating media, 307
- particle systems, 356
- partition of unity, 227
- patch, 334
- path tracing, 304
- pen down, 3
- pen plotter, 3
- pen up, 3
- penumbra, 302
- permutation, 304
- perpendicular, 391
- perspective division, 22, 58, 150
- perspective transformation, 22, 57, 58, 60–65, 67–72, 92
 - preserved under, 251
- perspective transformations
 - preserved under, 149
- `glRotate`, 36
- `glRotatef`, 36, 37, 39
- `glTranslatef`, 36, 37, 39
- Phong interpolation, *see* Phong shading
- Phong lighting, 85–94, 110, 156, 167, 170, 175, 179, 184, 283, 285, 290, 293, 403, 405
 - in OpenGL, 103–108
- Phong shading, 83, 96, 170
- photon maps, 306
- Piegl, L., 253, 262, 265
- pinhole camera, 298
- pitch, 161, *see also* yaw, pitch and roll
- pixel, 2, 163
- `PixelFormat`, 411, 412
- plane, 5, 53, 317
- plane at infinity, 43, 56

- point, 23, 26, 43
- point at infinity, 33, 40, 41, 43, 56, 57, 105, 252, 253
- pointillism, 2
- points, 28
- polar form, *see* blossom
- polygon offset, 67
- polygonal modeling, 4
- polyhedron, *see* polytope
- polynomial curve, 209
- polytope, 321
- Porter, T., 297
- positional light, 92, 104, 105, 408
- postscript, 4
- `Precompute_for_Slerp`, 153, 373
- pretwist vector, 279
- primary color, 2, 12, 184–186
- prism, 321
- projected convexity condition, 136, 137, 144
- projection, 391, 395
- projection matrix, 45, 68, 70, 72, 106
- projection matrix, 22
- projective geometry, 39–42, 56–57, 65
- projective line, 41, 42, 56, 57
- projective plane, 40, 57
- projective point, 41, 42, 56, 57
- projective space, 57
- pseudo-distance, 22, 63–65, 72
- pseudo-inverse, 383–387
- Puech, C., 352
- pyramid, 321

- quadratic attenuation factor, 107
- quadratic curve, 253–260
- quadratic formula, 140, 141
- quadric, 325
- quadrilateral, 10
- quadrilateral strip, 11
- quadtrees, 328
- quasi-Newton method, 327, 386
- quaternion, 53, 151, 356, 361, 364–374
 - conjugate, 367
- equality, 366
 - from matrix, 371–373
 - interpolation, 373–374
 - matrix form, 370–371
 - multiplication, 366
 - norm, 367
 - unit, 367
- radiosity, 333–352
- radiosity equation, 337
- Ramshaw, L., 248
- `RandInt(i)`, 304
- `RandomPermutation`, 304
- rational curve, 251, *see also* Bézier curve *and* B-spline curve
- rational linear interpolation, *see* hyperbolic interpolation
- ray, 314
- ray trace software, 403–427
- ray tracing, 3, 113, 166, 170, 283–311, 341–342
- Ray Tracing News, 307
- ray-Bézier patch intersection, 326–327
- ray-cylinder intersection, 325
- ray-ellipsoid intersection, 317
- ray-line, 314
- ray-plane intersection, 317–318
- ray-polytope intersection, 318, 321–325
- ray-quadric intersection, 325–326
- ray-sphere intersection, 314–317
- ray-triangle intersection, 319–321
- `RayTrace`, 295, 296, 404, 405, 407
- `RayTrace2`, 404
- `RayTraceData`, 404
- `RayTraceData2`, 404
- `RayTraceMain`, 296
- `RayTraceView`, 405
- reciprocity, 337, 341, 344
- recursive ray tracing, 284–289
- recursive subdivision, 198–202, 210–212, 217, 219, 260, 327
- reflection, 46, 53, 54, 285, 310
- reflection direction, 90, *see also* view reflection

- reflection map, *see* environment map
- reflection ray, 286–290, 405
- reflectivity coefficient, *see* ambient, diffuse, global *and* specular
- refraction, 285
- rendering pipeline, 22, 23, 57, 58, 62, 65, 72, 150, 170, 175
- repeated knots, 239
- `ResetSize`, 411
- `ResetSpotlight`, 410
- resize window, 71
- `ResizeWindow`, 407
- `resizeWindow`, 71
- rest position, 387
- retina, 182
- RGB, 185–187
 - to HSL, 189
 - to/from CMY, 186
- right cylinder, 417
- right-hand rule, 6, 44–46, 104, 362, 395
- right-handed coordinate system, 6, 43, 394
- rigid body, 356
- rigid transformation, 29, 43, 45, 54, 361, 364
- Robin, N., xiii
- rods, 182
- roll, *see* yaw, pitch and roll
- room, 328
- root link, 375
- rotation, 27, 29–32, 44, 46, 54, 360–374, *see also* generalized rotation
 - rotation
- rotation interpolation, *see* quaternions
- rotation matrix, 30, 46, 50–53, 356, 361–362, 371
- rotational joint, *see* joint
- roundoff error, 53, 66, 76, 79–81, 141, 160, 314, 386, 406
- row vector, 26, 28
- rowspan, 383
- Russian roulette, 307
- Sakkalis, T., 260
- Saltzman, M., 181
- Samet, H., 330
- saturation, 188
- scalar, 24, 389
- scalar quaternion, 367
- scaling transformation, 46
- scan line interpolation, 75, 76, 95, 129, 158
- Schröder, P., 282
- Schwartzkopf, O., 330
- Sederberg, T., 327
- `SeekIntersection`, 406
- Seidel, H.-P., 248
- self reflection, 310
- `SetAffineMatrix`, 426
- `SetApex`, 419
- `SetAxes`, 416
- `SetAxis`, 421
- `SetBorderType()`, 425
- `SetBottomFace`, 417
- `SetBoundingSphereCenter`, 424
- `SetCenter`, 414, 416, 417, 421
- `SetCenterAxis`, 417, 418
- `SetCentralAxis`, 416
- `SetColor`, 409
- `SetColorAmbient`, 407–409, 412
- `SetColorAmbientDiffuse`, 409, 413
- `SetColorDiffuse`, 409, 413
- `SetColorEmissive`, 413
- `SetColorReflective`, 413
- `SetColorSpecular`, 409, 413
- `SetColorTransmissive`, 413
- `SetDirection`, 410
- `SetDirectional`, 409
- `SetHeight`, 417
- `SetIndexOfRefraction`, 413
- `SetLinearMatrix`, 426
- `SetLocalViewer`, 411
- `SetMaterial`, 413, 415, 418–421, 423
- `SetMaterial1`, 424
- `SetMaterial2`, 424
- `SetMaterialBack`, 415, 423
- `SetMaterialBaseInner`, 419
- `SetMaterialBaseOuter`, 419

- SetMaterialBottomInner, 418
- SetMaterialBottomOuter, 418
- SetMaterialFront, 415, 423
- SetMaterialInner, 413, 418–421
- SetMaterialOuter, 413, 418–421
- SetMaterials, 424
- SetMaterialSideInner, 418, 419
- SetMaterialSideOuter, 418, 419
- SetMaterialTopInner, 418
- SetMaterialTopOuter, 418
- SetNonLocalViewer, 411
- SetPixel, 412
- SetPosition, 408–410
- SetRadialAxis, 417, 419, 421
- SetRadii, 416, 417, 421
- SetRadius, 414, 417
- SetScaling, 426
- SetScreenDimensions, 407, 410
- SetScreenDistance, 407, 410
- SetScreenPixelSize, 410, 411
- SetShininess, 413
- SetSize, 411
- SetSlope, 419
- SetSlopes, 419
- SetSpotCutoff, 410
- SetSpotDirection, 410
- SetSpotExponent, 410
- SetTexture, 425
- SetTopFace, 417
- SetTriangleCoords, 426
- SetUpLights, 408
- SetUpMainView, 406
- SetUpMaterials, 407
- SetUpViewableObjects, 408
- SetuvAxes, 415
- SetuvCylindrical, 415, 416
- SetUvRange, 424
- SetuvSpherical, 415, 416
- SetVertices, 420
- SetWidths, 424
- shading, 5, 13, 83, 94, *see also* flat shading
- shadow feeler, 285–287, 294, 302, 406
- ShadowFeeler, 406
- shadowing, 115
- shadows, 66–67, 285, 301, 311
- shearing, 47, 108
- Shepperd, S., 371
- shininess, *see* specular exponent
- Shirley, P., 307
- Shoemake, K., 151, 374
- shooting method, 351–352
- ShootingMethod, 351
- Sillion, F., 352
- simple polygon, 11
- SimpleAnim, 18
- SimpleDraw, 8, 15
- singular value decomposition, 386
- skeleton, 353
- skinning, 353
- Slerp, 154
- slerp, *see* spherical linear interpolation
- slerp*, 152
- Sloane, K., 159
- smoke, 307, 356
- Snell's law, 119, 291, 294
- soft shadows, 301, 311
- solar program, 47–50, 70, 72
- Southwell iteration, 351
- spacecraft, 361
- span, 383
- sparse matrix, 278
- specular exponent, 87, 90, 93, 107, 412, 413
- specular highlight, 83, 84, 86, 91, 96, 97, 176
- specular light, 86, 91, 106, 409
- specular reflection, 86, 90–92
- specular reflectivity coefficient, 87, 91, 106, 294, 412
- specular transmission, 294
- specular transmission coefficient, 294
- sphere, 48, 161, 313, 314, 414
- spherical linear interpolation, 151–154, 373, 374
- spline, 193
- spotlight, 94, 96, 97, 103, 106–108, 409
- spotlight direction, 107

- spotlight exponent, 107, 108
- Sproull, R., 42
- standard knot vector, 236
- Star Trek, 361
- stencil buffer, 310
- Stiles, W., 191
- stochastic supersampling, 165–166
- stride, 423
- subdivision surface, 282
- subtractive colors, 184, 185
- superposition principle, 85, 93
- supersampling, 165–166
- surface normal, *see* normal vector
- symmetric function, 245

- TCB spline, *see* tension-continuity-bias spline
- teapot, 84, 219, 223
- television, 2, 182
- tension, 272
- tension-continuity-bias spline, 266, 271–274, 355
- terrain, 144
- texture coordinates, 73, 156–158
 - cylinder, 159–161, 418
 - sphere, 161–162, 415
 - torus, 162, 421
- texture map, 5, 72, 133, 155–180, 403, 414, 424, *see also*
 - mipmap
 - decals/replaces, 155, 176
 - in OpenGL, 172–180
 - modulate, 176
 - repeating, 160, 174
 - resident, 178
 - specular highlight, 176
- texture matrix, 179
- texture object, 173, 177
- TextureAffineXform**, 416, 426
- TextureBilinearXform**, 416, 426
- TextureBMP**, 172
- TextureChecked**, 424
- TextureMap**, 408, 414, 424
- TextureMapBack**, 414, 424
- TextureMapBase**, 414
- TextureMapFront**, 414, 424

- TextureMultiFaces**, 418, 425
- TextureSequence**, 425, 426
- TextureTorus**, 172
- Thomas, F., 354
- thousands of colors, 73, 186
- Tiller, W., 253, 262, 265
- tilt, planetary, 49
- torchiere, 333
- Torrance, K., 108, 112, 116, 120
- torus, 11, 100, 162, 420
- total derivative, 400
- total internal reflection, 292, 293, 297
- Toth, D., 327
- Touloukian, Y., 120
- trace, 52, 371
- traditional animation, 354
- transformation, 24, 43, *see also*
 - affine transformation *and*
 - linear transformation
 - rigid, 29, 43, 45
- translation, 25, 29, 43, 46
- transmission
 - diffuse light, 294
 - specular light, 294
- transmission coefficient, 289, 412
- transmission ray, 288–289, 405
 - direction, 291–293, 405
- transparency, 105, 186, 285, 294
- transpose, *see* matrix transpose
- triangle, 4, 10, 127, 319, 415
- triangle fan, 10, 12
- triangle strip, 10
- triangulation, 10
- trichromatic theory, 181
- tridiagonal matrix, 275
- trilinear interpolation, 144–145
 - inversion, 145
- tristimulus method, 183
- true color, 186
- turtle geometry, 3
- twist vector, 217, 278–282

- undershoot, 272, 273
- uniform speed, 260
- unit quaternion, 367, 368

- unit vector, 390, 394
- up direction, 72, 410
- updateScene, 18, 19

- value, 188
- vanishing point, 42, 60
- variation diminishing, 208, 212, 263
- vector, 23, 26, 28, 43, 367, 389
- vector graphics, 3
- vector valued function, 98
- vector, as quaternion, 367
- vector-valued function, 401
- VectorR3, 405, 409
- VectorR4, 405
- view orientation, 72, 410
- view reflection, 170, 179
- viewable geometry, 413–424
- ViewableBase, 404
- ViewableBezierSet, 422–424
- ViewableCone, 418
- ViewableCylinder, 417
- ViewableEllipsoid, 416
- ViewableParallelepiped, 420
- ViewableParallelogram, 415
- ViewableSphere, 414
- ViewableTorus, 420
- ViewableTriangle, 415
- viewing transformation, 57, 67
- viewpoint, 410
- viewpoint animation, 356, 360
- viewpoint at origin, 104, 106
- viewport, 21, 71, 72, 285, 299
- viewport position, 410
- VisiblePoint, 405

- Wallace, J., 352
- Warren, J., 282
- Watt, A, xv
- Watt, A., xv, 307
- Watt, M., xv, 307
- web-save colors, 187
- weighted average, 125, 127, 145, 146, 196, 201, 206, 208, 227, 238
 - homogeneous coordinates, 127, 148–150
- Welch, T., 187
- white, 12, 184
- White, T., 354
- Whitted, T., 307, 327
- wide-angle lens, 71
- Wiemar, H., 282
- Williams, L., 164
- winding number, 160
- wireframe, 16
- Witt, D., 120
- writePixel, 77
- Wysecki, G., 191

- yaw, pitch and roll, 356, 361–364
- yellow, 12, 185, 188, 190
- Young, T., 181

- z* buffer, *see* depth buffer
- z* fighting, 66
- Zandt, T. van, xv
- zero vector, 23, 43
- Zhao, J., 379
- Ziv, J., 187
- Zorin, D., 282