

# MATH180C: Introduction to Stochastic Processes II

<https://mathweb.ucsd.edu/~ynemish/teaching/180c>

Today: Asymptotic behavior of  
renewal processes

Next: PK 7.5, Durrett 3.1, 3.3

Week 7:

- HW6 due Monday, May 22 on Gradescope
- Midterm 2

## Example: Age replacement policies (PK, p. 363)

$X_i$  - lifetime of  $i$ -th component,  $F_{X_i}(t) = F(t)$

$Y_i$  - times between failures

$N(t) = \#$  replacements on  $[0, t]$ ,  $Q(t) = \#$  failure replacements on  $[0, t]$

Last time:

$$\frac{E(N(t))}{t} \approx \frac{1}{\mu_T} \text{ for large } t$$

$Q(t)$  renewal process with interrenewal times  $Y_i$  and

$$Y_1 = L \cdot T + Z \text{ with } P(L \geq n) = (1 - F(T))^n, P(Z \leq z) = \frac{F(z)}{F(T)}$$

## Example: Age replacement policies (PK, p. 363)

Now we can compute the long-run rate of the replacements due to failures

$$E(Y_1) = TE(L) + E(Z)$$

$$E(L) =$$

$$E(Z) = \quad , \quad \text{so}$$

$$E(Y_1) =$$

Applying the elementary renewal theorem to  $Q(t)$

## Example: Age replacement policies (PK, p. 363)

Suppose that the cost of one replacement is  $K$ , and each replacement due to a failure costs additional  $c$ . Then, in the long run the total amount spent on the replacements of the component per unit of time is given by

$$C(T) \approx$$

If we are given  $c, K$  and the distribution of the component's lifetime  $F$ , we can try to minimize the overall costs by choosing the optimal value of  $T$ .

## Example: Age replacement policies (PK, p. 363)

For example, if  $K=1$ ,  $c=4$  and  $X_1 \sim \text{Unif}[0,1]$  ( $F(x) = x \mathbb{1}_{[0,1]}$ )

For  $T \in [0,1]$ ,  $\mu_T =$  and

the average (per unit of time) long-run costs are

$$C(T) =$$


$$\frac{d}{dT} C(T) =$$



## Two component renewals

Consider the following model:

- $(X_i)_{i=1}^{\infty}$  are interrenewal times
- at each moment of time the system  $S(t)$  can be in one of two states:  $S(t) = 0$  or  $S(t) = 1$
- random variables  $Y_i$  denote the part of  $X_i$  during which the system is in state 0,  $0 \leq Y_i \leq X_i$
- collection  $((X_i, Y_i))_{i=1}^{\infty}$  is i.i.d.



Q: In the long run (for large  $t$ ), what is the probability that the system is in state 1 at time  $t$ ?

# Two component renewals

Thm.


$$\lim_{t \rightarrow \infty} P(S(t) = 0) =$$

Proof. Denote  $g(t) =$  . Then

$$g(t) =$$

If  $t < x$ , then  $P(S(t) = 0 \mid X_1 = x) =$

If  $t \geq x$ , then  $P(S(t) = 0 \mid X_1 = x) =$



## Two component renewals

$$g(t) = \underbrace{\int_t^{\infty}}_{\text{first component}} + \underbrace{\int_0^t}_{\text{second component}}$$

Function  $g$  satisfies the renewal equation

$$g(t) =$$

Note that  $Y_1 \leq X_1$ , therefore  $P(Y_1 > t \mid X_1 = x) =$  for  $x < t$ ,

$$h(t) =$$

$$\int_0^{\infty} h(t) dt =$$

From the **key renewal theorem**  $\lim_{t \rightarrow \infty} g(t) =$



## Example: the Peter principle

- Setting:
- infinite population of candidates for certain position
  - fraction  $p$  of the candidates are competent,  $q = 1 - p$  are incompetent
  - if a competent person is chosen, after time  $C_i$  this person gets promoted
  - if an incompetent person is chosen, this person remains in the job until retirement (r.v.  $I_j$ )
  - once the position is open again, the process repeats

Question: What fraction of time, denoted  $f$ , is the position held by an incompetent person on average in the long run?

## Example: the Peter principle

Denote  $X_i = \begin{cases} 1 & \text{if occupied by a competent person} \\ 0 & \text{if occupied by an incompetent person} \end{cases}$   
 $Y_i = \begin{cases} 1 & \text{if occupied by a competent person} \\ 0 & \text{if occupied by an incompetent person} \end{cases}$

KRT for two component renewals can be applied to  $((X_i, Y_i))_{i=1}^{\infty}$

If  $S(t) = 0$  if the person is incompetent, then

$$\lim_{t \rightarrow \infty} P(S(t) = 0) = \frac{E(Y_i)}{E(X_i)} \quad \text{and}$$

$$f := \lim_{t \rightarrow \infty} \left( \frac{S(t)}{t} \right) = \lim_{t \rightarrow \infty} \frac{1}{t} \int_0^t du =$$

Finally, if  $\begin{cases} \bullet E(C_i) = \mu \\ \bullet E(I_i) = \nu \end{cases}$ , then  $f = \frac{E(Y_i)}{E(X_i)} = \frac{(1-p)\nu}{p\mu + (1-p)\nu}$

## Example: the Peter principle

If we take

, then

$$f =$$